

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## MIXOL® Nr. 14 Oxyd-Grün

Revision date: 03/14/2023

Page 1 of 9

### 1. Identification

#### Product identifier

MIXOL® Nr. 14 Oxyd-Grün

#### Recommended use of the chemical and restrictions on use

##### Use of the substance/mixture

Color, Pigment

#### Details of the supplier of the safety data sheet

Company name:	MIXOL-PRODUKTE Diebold GmbH	
Street:	Carl-Zeiss-Str. 17-19	
Place:	D-73230 Kirchheim/Teck	
Telephone:	+49/(0)7021 / 950090	Telefax: +49/(0)7021 / 56030
e-mail:	info@mixol.de	
e-mail (Contact person):	Technik@mixol.de	
Internet:	www.mixol.de	
Responsible Department:	Technik	

**Emergency phone number:** Emergency CONTACT (24 h) GBK/Infotrac ID 107633 (USA Domestic): 18005355053

### 2. Hazard(s) identification

#### Classification of the chemical

##### 29 CFR Part 1910.1200

Carcinogenicity: Carc. 2

Specific target organ toxicity repeated or prolonged exposure: STOT RE 2

#### Label elements

##### 29 CFR Part 1910.1200

**Signal word:** Warning**Pictograms:**

#### **Hazard statements**

Suspected of causing cancer

May cause damage to organs through prolonged or repeated exposure

#### **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Immediately call a poison center/doctor.

If exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of waste according to applicable legislation.

#### **Hazards not otherwise classified**

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

### 3. Composition/information on ingredients

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**MIXOL® Nr. 14 Oxyd-Grün**

Revision date: 03/14/2023

Page 2 of 9

**Mixtures****Hazardous components**

CAS No	Components	Quantity
1308-38-9	C.I. Pigment Green 17	24.24 %
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	2.944 %
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	2.08 %
1333-86-4	C.I. Pigment Black 7	0.45 %

**4. First-aid measures****Description of first aid measures****General information**

When in doubt or if symptoms are observed, get medical advice.

**After inhalation**

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

**After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Get medical advice/attention.

**Most important symptoms and effects, both acute and delayed**

No information available.

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**5. Fire-fighting measures****Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.  
Water spray jet, Extinguishing powder, Carbon dioxide (CO<sub>2</sub>), alcohol resistant foam.

**Unsuitable extinguishing media**

Full water jet

**Specific hazards arising from the chemical**

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>).

**Special protective equipment and precautions for fire-fighters**

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

**Additional information**

Use water spray/stream to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**6. Accidental release measures**

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## MIXOL® Nr. 14 Oxyd-Grün

Revision date: 03/14/2023

Page 3 of 9

### Personal precautions, protective equipment and emergency procedures

#### General advice

Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes and clothes.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

#### For emergency responders

Wear personal protection equipment (refer to section 8).

### Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### Methods and material for containment and cleaning up

#### For containment

Stop leak if safe to do so. Cover drains.

#### For cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated articles and floor according to the environmental legislation.

### Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

## 7. Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapors/spray. Use personal protection equipment.

#### Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

#### Further information on handling

Handle and open container with care.

### Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

No information available.

#### Further information on storage conditions

storage stability: >= 36 month(s)

## 8. Exposure controls/personal protection

### Control parameters

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### MIXOL® Nr. 14 Oxyd-Grün

Revision date: 03/14/2023

Page 4 of 9

#### Exposure limits

CAS No	Substance	ppm	mg/m <sup>3</sup>	f/cc	Category	Origin
1317-65-3	Calcium carbonate (resp)	-	5		TWA (8 h)	REL
1317-65-3	Calcium Carbonate Respirable fraction	-	5		TWA (8 h)	PEL
1333-86-4	Carbon black (in presence of polycyclic aromatic hydrocarbons (PAHs)) (as PAHs)	-	0.1		TWA (8 h)	REL
1333-86-4	Carbon black (inhalable fraction)	-	3		TWA (8 h)	ACGIH-2022
1333-86-4	Carbon black	-	3.5		TWA (8 h)	PEL
7440-50-8	Copper (dusts and mists, as Cu)	-	1		TWA (8 h)	REL
112926-00-8	Silica, amorphous, precipitated and gel	706 mp/m <sup>3</sup>	(Z-3)		TWA (8 h)	PEL
7631-86-9	Silica, amorphous	-	6		TWA (8 h)	REL

#### Exposure controls



##### Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye protection/face protection.

##### Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

##### Skin protection

Use of protective clothing.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

##### Thermal hazards

No information available.

##### Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state:	Liquid (Dispersion)
Color:	green
Odor:	odorless
Odour threshold:	not applicable
Melting point/freezing point:	not determined

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**MIXOL® Nr. 14 Oxyd-Grün**

Revision date: 03/14/2023

Page 5 of 9

Boiling point or initial boiling point and boiling range:	100 °C
Flammability:	Non-flammable.
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 100 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	> 100 °C
pH-Value:	not determined
Viscosity / kinematic:	not determined
Water solubility:	miscible
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapor pressure:	not determined
Density (at 20 °C):	1,69 g/cm <sup>3</sup>
Relative vapour density:	not determined
Particle characteristics:	not applicable

**Other information****Further Information**

No information available.

**10. Stability and reactivity****Reactivity**

No hazardous reaction when handled and stored according to provisions.

**Chemical stability**

Stability: Stable

The product is stable under storage at normal ambient temperatures.

**Possibility of hazardous reactions**

Hazardous reactions: Will not occur

No known hazardous reactions.

**Conditions to avoid**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Incompatible materials**

No information available.

**Hazardous decomposition products**In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>).**11. Toxicological information****Route(s) of Entry**

oral, inhalative, Skin contact, Eye contact

**Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated:

oral: &gt; 2000 mg/kg

dermal: &gt; 2000 mg/kg

Inhalation (vapour): &gt;20 mg/l (4 h)

Inhalation (dust/mist): &gt; 5 mg/l (4h)

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**MIXOL® Nr. 14 Oxyd-Grün**

Revision date: 03/14/2023

Page 6 of 9

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
1308-38-9	C.I. Pigment Green 17				
	oral	LD50 > 15000 mg/kg	Rat	Manufacturer	OECD 401
	inhalation (4 h) dust/mist	LC50 > 5,41 mg/l	Rat	Manufacturer	OECD 403
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated				
	oral	ATE 500 mg/kg			
1333-86-4	C.I. Pigment Black 7				
	oral	LD50 > 10000 mg/kg	Rat	Manufacturer	OECD 401

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / evaluation: Not an irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy)

Serious eye damage/eye irritation:

Result / evaluation: Not an irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy)

**Sensitizing effects**

Based on available data, the classification criteria are not met.

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

**Carcinogenic/mutagenic/toxic effects for reproduction**

Suspected of causing cancer (C.I. Pigment Black 7)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**Specific target organ toxicity (STOT) - single exposure**

Based on available data, the classification criteria are not met.

**Specific target organ toxicity (STOT) - repeated exposure**

May cause damage to organs through prolonged or repeated exposure (C.I. Pigment Green 17)

Carcinogenicity (IARC): Chromium[III] (CAS 16065-83-1) compounds is listed in group 3. Silica, amorphous (CAS 7631-86-9) is listed in group 3. Carbon black (CAS 1333-86-4) is listed in group 2B.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on other hazards****Endocrine disrupting properties**

No information available.

**12. Ecological information****Ecotoxicity**

The product is not: Ecotoxic.

**Persistence and degradability**

The product has not been tested.

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**MIXOL® Nr. 14 Oxyd-Grün**

Revision date: 03/14/2023

Page 7 of 9

**Bioaccumulative potential**

The product has not been tested.

**Mobility in soil**

The product has not been tested.

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**13. Disposal considerations****Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

**Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

**14. Transport information****U.S. DOT 49 CFR 172.101****Proper shipping name:**

No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)****UN number or ID number:**

No dangerous good in sense of this transport regulation.

**UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**Packing group:**

No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)****UN number or ID number:**

No dangerous good in sense of this transport regulation.

**UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**Packing group:**

No dangerous good in sense of this transport regulation.

**Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**Special precautions for user**

No information available.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

not applicable

**15. Regulatory information****U.S. Regulations****National Inventory TSCA**

CAS No. 1308-38-9: Yes.

CAS No. 1317-65-3: Yes.

Silica, amorphous: Yes.

CAS No. 68920-66-1: Yes.

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**MIXOL® Nr. 14 Oxyd-Grün**

Revision date: 03/14/2023

Page 8 of 9

CAS No. 1328-53-6: Yes.  
 CAS No. 1333-86-4: Yes.  
 CAS No. 2634-33-5: Yes.  
 CAS No. 55965-84-9: Yes.

**National regulatory information**

SARA Section 304 CERCLA:

Chromium III compounds (-): Reportable quantity = &  
 Copper compounds (-): Reportable quantity = &

SARA Section 311/312 Hazards:

Chromium III compounds (1308-38-9): Delayed (chronic) health hazard  
 Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1): Immediate (acute) health hazard  
 C.I. Pigment Black 7 (1333-86-4): Delayed (chronic) health hazard, Immediate (acute) health hazard

SARA Section 313 Toxic release inventory:

Chromium III compounds (-): De minimis limit = 1.0 %, Reportable threshold = Standard  
 Copper compounds (-): De minimis limit = 1.0 %, Reportable threshold = Standard

Clean Air Act Section 112(b):

Chromium III compounds (-), Chromium III compounds (-)

**State Regulations****Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**

WARNING: This product can expose you to chemicals including Carbon black (airborne, unbound particles of respirable size) (cancer), which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**16. Other information****Hazardous Materials Information Label (HMIS)**

Health: \*3  
 Flammability: 1  
 Physical Hazard: 0

**NFPA Hazard Ratings**

Health: 3  
 Flammability: 1  
 Reactivity: 0  
 Unique Hazard:

**Changes**

Revision date: 03/14/2023  
 Revision No: 1,3

This data sheet contains changes from the previous version in section(s): 6,9,12,15.

**Abbreviations and acronyms**

ACGIH: American Conference of Governmental Industrial Hygienists  
 CFR: Code of Federal Regulations  
 DOT: Department of Transportation  
 ICAO: International Civil Aviation Organization  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 IARC: International Agency for Research on Cancer  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 CAS: Chemical Abstracts Service  
 NFPA: National Fire Protection Association  
 NTP: National Toxicology Program  
 OSHA: Occupational Safety and Health Administration  
 PEL: permissible exposure limit

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**MIXOL® Nr. 14 Oxyd-Grün**

Revision date: 03/14/2023

Page 9 of 9

REL: recommended exposure limit  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short-term exposure limit  
TSCA: Toxic Substances Control Act  
TWA: time-weighted average  
TI: Technical Instructions  
DGR: Dangerous Goods Regulations  
UN: United Nations  
ATE: Acute toxicity estimate  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
VOC: Volatile Organic Compounds

**Other data**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*