

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 15 Olivgrün

Revision date: 03/16/2023

Page 1 of 9

1. Identification**Product identifier**

MIXOL® Nr. 15 Olivgrün

Recommended use of the chemical and restrictions on use**Use of the substance/mixture**

Color, Pigment

Details of the supplier of the safety data sheet

Company name:	MIXOL-PRODUKTE Diebold GmbH	
Street:	Carl-Zeiss-Str. 17-19	
Place:	D-73230 Kirchheim/Teck	
Telephone:	+49/(0)7021 / 950090	Telefax: +49/(0)7021 / 56030
e-mail:	info@mixol.de	
e-mail (Contact person):	Technik@mixol.de	
Internet:	www.mixol.de	
Responsible Department:	Technik	

Emergency phone number: Emergency CONTACT (24 h) GBK/Infotrac ID 107633 (USA Domestic):
18005355053

2. Hazard(s) identification**Classification of the chemical****29 CFR Part 1910.1200**

Carcinogenicity: Carc. 2

Label elements**29 CFR Part 1910.1200****Signal word:** Warning**Pictograms:****Hazard statements**

Suspected of causing cancer

Precautionary statements

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.
Take off contaminated clothing and wash it before reuse.
If exposed or concerned: Get medical advice/attention.
Store locked up.
Dispose of waste according to applicable legislation.

Hazards not otherwise classified

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

3. Composition/information on ingredients**Mixtures**

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 15 Olivgrün

Revision date: 03/16/2023

Page 2 of 9

Hazardous components

CAS No	Components	Quantity
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	7.631 %
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	2.131 %
1333-86-4	C.I. Pigment Black 7	0.1454 %

4. First-aid measures**Description of first aid measures****General information**

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Get medical advice/attention.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.
Water spray jet, Extinguishing powder, Carbon dioxide (CO₂), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the chemical

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x).

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 15 Olivgrün

Revision date: 03/16/2023

Page 3 of 9

General advice

Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

For cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapors/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Further information on handling

Handle and open container with care.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

8. Exposure controls/personal protection

Control parameters

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 15 Olivgrün

Revision date: 03/16/2023

Page 4 of 9

Exposure limits

CAS No	Substance	ppm	mg/m ³	f/cc	Category	Origin
1317-65-3	Calcium carbonate (resp)	-	5		TWA (8 h)	REL
1317-65-3	Calcium Carbonate Respirable fraction	-	5		TWA (8 h)	REL
1333-86-4	Carbon black (in presence of polycyclic aromatic hydrocarbons (PAHs)) (as PAHs)	-	0.1		TWA (8 h)	REL
1333-86-4	Carbon black (inhalable fraction)	-	3		TWA (8 h)	ACGIH-2022
1333-86-4	Carbon black	-	3.5		TWA (8 h)	REL
7440-50-8	Copper (dusts and mists, as Cu)	-	1		TWA (8 h)	REL
1309-37-1	Iron oxide (Fe ₂ O ₃) (respirable fraction)	-	5		TWA (8 h)	ACGIH-2022
1309-37-1	Iron oxide dust and fume (as Fe)	-	5		TWA (8 h)	REL
1309-37-1	Iron oxide fume	-	10		TWA (8 h)	REL
7439-96-5	Manganese compounds (as Mn)	-	C 5		Ceiling	REL
7439-96-5	Manganese compounds and fume (as Mn)	-	1		TWA (8 h)	REL
		-	3		STEL (15 min)	REL
-	Manganese inorganic compounds (inhalable fraction), as Mn	-	0.1		TWA (8 h)	ACGIH-2022
-	Manganese inorganic compounds (respirable fraction), as Mn	-	0.02		TWA (8 h)	ACGIH-2022
112926-00-8	Silica, amorphous, precipitated and gel	706 mp/m ³	(Z-3)		TWA (8 h)	REL
7631-86-9	Silica, amorphous	-	6		TWA (8 h)	REL

Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

No information available.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 15 Olivgrün

Revision date: 03/16/2023

Page 5 of 9

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state:	Liquid (Dispersion)	
Color:	green	
Odor:	odorless	
Odour threshold:	not applicable	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		100 °C
Flammability:		Non-flammable.
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		> 100 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		> 100 °C
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		miscible
Solubility in other solvents		not determined
Partition coefficient n-octanol/water:		not determined
Vapor pressure:		not determined
Density (at 20 °C):		1,66 g/cm ³
Relative vapour density:		not determined
Particle characteristics:		not applicable

Other information**Further Information**

No information available.

10. Stability and reactivity**Reactivity**

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Stability: Stable

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Hazardous reactions: Will not occur

No known hazardous reactions.

Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible materials

No information available.

Hazardous decomposition productsIn case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x).

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 15 Olivgrün

Revision date: 03/16/2023

Page 6 of 9

11. Toxicological information**Route(s) of Entry**

oral, inhalative, Skin contact, Eye contact

Information on toxicological effects**Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated:

oral: > 2000 mg/kg

dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/l (4 h)

Inhalation (dust/mist): > 5 mg/l (4h)

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated				
	oral	ATE 500 mg/kg			
1333-86-4	C.I. Pigment Black 7				
	oral	LD50 > 10000 mg/kg	Rat	Manufacturer	OECD 401

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / evaluation: Not an irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy)

Serious eye damage/eye irritation:

Result / evaluation: Not an irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy)

Sensitizing effects

Based on available data, the classification criteria are not met.

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer (C.I. Pigment Black 7)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (IARC): Silica, amorphous (CAS 7631-86-9) is listed in group 3. Ferric oxide (CAS 1309-37-1) is listed in group 3. Carbon black (CAS 1333-86-4) is listed in group 2B.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 15 Olivgrün

Revision date: 03/16/2023

Page 7 of 9

Endocrine disrupting properties

No information available.

12. Ecological information**Ecotoxicity**

The product is not: Ecotoxic.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations**Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

14. Transport information**U.S. DOT 49 CFR 172.101****Proper shipping name:**

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)**UN number or ID number:**

No dangerous good in sense of this transport regulation.

UN proper shipping name:

No dangerous good in sense of this transport regulation.

Transport hazard class(es):

No dangerous good in sense of this transport regulation.

Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)**UN number or ID number:**

No dangerous good in sense of this transport regulation.

UN proper shipping name:

No dangerous good in sense of this transport regulation.

Transport hazard class(es):

No dangerous good in sense of this transport regulation.

Packing group:

No dangerous good in sense of this transport regulation.

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

No information available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 15 Olivgrün

Revision date: 03/16/2023

Page 8 of 9

15. Regulatory information**U.S. Regulations****National Inventory TSCA**

CAS No. 1317-65-3: Yes.
 Silica, amorphous: Yes.
 CAS No. 68920-66-1: Yes.
 CAS No. 68186-94-7: Yes.
 CAS No. 1328-53-6: Yes.
 CAS No. 1309-37-1: Yes.
 CAS No. 147-14-8: Yes.
 CAS No. 1333-86-4: Yes.
 CAS No. 2634-33-5: Yes.
 CAS No. 55965-84-9: Yes.

National regulatory information

SARA Section 304 CERCLA:

Copper compounds (-): Reportable quantity = &
 Manganese compounds (-): Reportable quantity = &

SARA Section 311/312 Hazards:

Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1): Immediate (acute) health hazard
 C.I. Pigment Black 7 (1333-86-4): Delayed (chronic) health hazard, Immediate (acute) health hazard

SARA Section 313 Toxic release inventory:

Copper compounds (-): De minimis limit = 1.0 %, Reportable threshold = Standard
 Manganese compounds (-): De minimis limit = 1.0 %, Reportable threshold = Standard

Clean Air Act Section 112(b):

Manganese compounds (-)

State Regulations**Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**

WARNING: This product can expose you to chemicals including Carbon black (airborne, unbound particles of respirable size) (cancer), which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

16. Other information**Hazardous Materials Information Label (HMIS)**

Health: *3
 Flammability: 1
 Physical Hazard: 0

NFPA Hazard Ratings

Health: 3
 Flammability: 1
 Reactivity: 0
 Unique Hazard:

**Changes**

Revision date: 03/16/2023
 Revision No: 1,3

This data sheet contains changes from the previous version in section(s): 6,9,12,15.

Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists
 CFR: Code of Federal Regulations
 DOT: Department of Transportation

Safety Data Sheet

according to 29 CFR 1910.1200(g)

MIXOL® Nr. 15 Olivgrün

Revision date: 03/16/2023

Page 9 of 9

ICAO: International Civil Aviation Organization
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IARC: International Agency for Research on Cancer
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
CAS: Chemical Abstracts Service
NFPA: National Fire Protection Association
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PEL: permissible exposure limit
REL: recommended exposure limit
SARA: Superfund Amendments and Reauthorization Act
STEL: Short-term exposure limit
TSCA: Toxic Substances Control Act
TWA: time-weighted average
TI: Technical Instructions
DGR: Dangerous Goods Regulations
UN: United Nations
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds

Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)